


Installing Oracle 11g Server & Client

For:

- [Install Oracle Client \(64-bit\)](#)
- [Install Oracle Client \(32-bit\)](#)
- [Server](#)

Install Oracle Client (64-bit)

Run `\\Client_64bit\client\setup.exe` to install Oracle 11g Client for 64-bit.



Oracle Client Installer - Setting up Client - Step 2 of 8

Download Software Updates

Select Installation Type

Download Software Updates

Apply Software Updates

Select Product Languages

Perform Prerequisite Checks

Summary

Install Product

Finish

Download software updates for this installation. Software updates consist of recommended updates to the installer system requirement checks, patchset updates (PSUs), and other recommended patches.

Select one of the following options:

☒ Use My Oracle Support credentials for download

My Oracle Support user name:

help_support@natureserve.org

My Oracle Support password:

Proxy Settings...

Test Connection

☐ Use pre-downloaded software updates

Location:

Browse...

☐ Skip software updates

Help


< Back


Next >


Install


Cancel

2











Install Oracle Client (32-bit)

Run `\\Client_32bit\client\setup.exe` to install Oracle 11g Client for 32-bit.





Oracle Client Installer - Setting up Client - Step 3 of 7

Specify Installation Location


Select Installation Type
Select Product Languages
Specify Installation Location
Perform Prerequisite Checks
Summary
Install Product
Finish


Specify an Oracle base path to place all Oracle software and configuration-related files. This location is the Oracle base directory.


Oracle Base:

Specify a location for storing Oracle software files. This location is the Oracle home directory.

Software Location:







Server

Install Oracle 11g Server (11.2.0.3.0 for 64-bit).

View details.'. There is an 'Email:' label and a text input field. Below it is the text 'Easier for you if you use your My Oracle Support email address/username.' A checkbox is labeled 'I wish to receive security updates via My Oracle Support.' Below that is a 'My Oracle Support Password:' label and a text input field. At the bottom left is a 'Help' button. At the bottom right are buttons for '< Back', 'Next >', 'Finish', and 'Cancel'."/>

Oracle Database 11g Release 2 Installer - Installing database - Step 1 of 9

Configure Security Updates

Provide your email address to be informed of security issues, install the product and initiate configuration manager. [View details.](#)

Email:

Easier for you if you use your My Oracle Support email address/username.

☐ I wish to receive security updates via My Oracle Support.

My Oracle Support Password:

[Help](#) [< Back](#) [Next >](#) [Finish](#) [Cancel](#)

Oracle Database 11g Release 2 Installer - Installing database - Step 2 of 11

Download Software Updates

Configure Security Updates

Download Software Updates

Apply Software Updates

Installation Option

Grid Installation Options

Install Type

Typical Installation

Prerequisite Checks

Summary

Install Product

Finish

Download software updates for this installation. Software updates consist of recommended updates to the installer system requirement checks, patchset updates (PSUs), and other recommended patches.

Select one of the following options:

☒ Use My Oracle Support credentials for download

My Oracle Support user name: help_desk@natureserve.org

My Oracle Support password: *****

Proxy Settings...Test Connection

☐ Use pre-downloaded software updates


Location: Browse...


☐ Skip software updates


Help


< BackNext >InstallCancel


14














Oracle Database 11g Release 2 Installer - Installing database - Step 8 of 12


Specify Installation Location

Specify an Oracle base path to place all Oracle software and configuration-related files. This location is the Oracle base directory.

Oracle Base:

Specify a location for storing Oracle software files. This location is the Oracle home directory.

Software Location:



Oracle Database 11g Release 2 Installer - Installing database - Step 11 of 20

Specify Database Identifiers

An Oracle database is uniquely identified by a Global Database Name, typically of the form "name.domain".

Global database name:

A database is referenced by at least one Oracle instance that is uniquely identified from any other instance on this computer by an Oracle Service Identifier (SID).

Oracle Service Identifier (SID):

Database Service name is used by applications to connect to RAC One Node database.

Service Name:

Configure Security Updates
Download Software Updates
Installation Option
System Class
Grid Installation Options
Install Type
Product Languages
Database Edition
Installation Location
Configuration Type
Database Identifiers
Configuration Options
Management Options
Database Storage
Backup and Recovery
Schema Passwords
Prerequisite Checks
Summary
Install Product
Finish

Oracle Database 11g Release 2 Installer - Installing database - Step 11 of 19

Specify Configuration Options

Configure Security Updates

Installation Option

System Class

Grid Installation Options

Install Type

Product Languages

Database Edition

Installation Location

Configuration Type

Database Identifiers

Configuration Options

Management Options

Database Storage

Backup and Recovery

Schema Passwords

Prerequisite Checks

Summary

Install Product

Finish

Memory
Character sets
Security
Sample Schemas

Enabling Automatic Memory Management allows the database to distribute memory automatically between the system global area (SGA) and the program global area (PGA), based on user-specified overall database memory target size. If automatic memory management is not enabled, then the SGA and PGA must be sized manually.

☒ Enable Automatic Memory Management


Allocate Memory: 256 2400 5999 2,400 40 %


SGA target:	AUTO	MB
PGA aggregate target:	AUTO	MB
Target Database Memory:	2400	MB


Help

< Back
Next >
Finish
Cancel

24







Oracle Database 11g Release 2 Installer - Installing database - Step 12 of 19

Specify Management Options

Configure Security Updates

Installation Option

System Class

Grid Installation Options

Install Type

Product Languages

Database Edition

Installation Location

Configuration Type

Database Identifiers

Configuration Options

Management Options

Database Storage

Backup and Recovery

Schema Passwords

Prerequisite Checks

Summary

Install Product

Finish

You can use Oracle Enterprise Manager 11g Grid Control to manage each Oracle Database 11g centrally, or manage each database locally using Oracle Enterprise Manager 11g Database Control. For Grid Control, specify the Oracle Management Service to manage your database. For Database Control, you can indicate if you want to receive email notifications for alerts.

Select the management options for your instance.

☐ Use an existing Grid Control for database management.

Management Service:

☒ Use Database Control for database management.

☐ Enable email notifications.

Outgoing mail (SMTP) server:

Email address:

Help

< Back

Next >

Finish

Cancel

28

Oracle Database 11g Release 2 Installer - Installing database - Step 13 of 19

Specify Database Storage Options

Configure Security Updates

Installation Option

System Class

Grid Installation Options

Install Type

Product Languages

Database Edition

Installation Location

Configuration Type

Database Identifiers

Configuration Options

Management Options

Database Storage

Backup and Recovery

Schema Passwords

Prerequisite Checks

Summary

Install Product

Finish

File System

Use a file system for database storage. For optimal database organization and performance, Oracle recommends that you install data files and the Oracle database software on different disks. If you intend to use Automatic Storage Manager File System (ASMFS) as the storage option, then select Automatic Storage Management.

Specify database file location?

Automatic Storage Management

Automatic Storage Management (ASM) simplifies database storage administration, and places database files for optimal I/O performance. Select this option if you intend to use either ASM, or Automatic Storage Management File System.

Specify password of ASMSNMP user:

Help

< Back

Next >

Finish

Cancel

29

Oracle Database 11g Release 2 Installer - Installing database - Step 14 of 19

Specify Recovery Options

Select to enable or disable automated backups for your database. If enabled, then the Backup Job uses the specified recovery area storage.

☒ Do not enable automated backups

☐ Enable automated backups

Recovery area storage

☒ File System

Recovery Area location:

☐ Automatic Storage Management

Backup Job Operating System credentials

Username: Password:

Oracle Database 11g Release 2 Installer - Installing database - Step 15 of 19

ORACLE

11g

DATABASE

Specify Schema Passwords

Configure Security Updates

Installation Option

System Class

Grid Installation Options

Install Type

Product Languages

Database Edition

Installation Location

Configuration Type

Database Identifiers

Configuration Options

Management Options

Database Storage

Backup and Recovery

Schema Passwords

Prerequisite Checks

Summary

Install Product

Finish

The starter database contains pre-loaded schemas, most of which have passwords that are expired and locked at the end of installation. After installation is complete, you must unlock and set new passwords for those accounts you want to use. Schemas used for database management and postinstallation functions are left unlocked, and passwords for these accounts will not expire. Specify the passwords for these accounts.

☐ Use different passwords for these accounts

	Password	Confirm password
<u>S</u> YS		
<u>S</u> Y <u>S</u> TE <u>M</u>		
<u>S</u> YS <u>M</u> AN		
<u>D</u> BS <u>N</u> MP		

☒ Use the same password for all accounts

Password:
 Confirm password:

Help

< Back

Next >

Finish

Cancel

31

